



**Section 1. Identification**

**Product identifier**

**Product Identity** Long Life Coupling Grease  
**Other means of identification** Long Life Coupling grease

**Relevant identified uses of the substance or mixture and uses advised against**

Lubricant

**Details of the supplier of the safety data sheet**

**Company Name** Southwestern Petroleum Lubricants LLC  
3401 Quorum Drive, Suite 360  
Fort Worth, Texas 76137

**Emergency**

**24 hour Emergency Telephone No.** 734 930-0009

**Customer Service:**

Emergency numbers call Chemtrec 24/7 USA and Canada 1-800-424-9300 or 1-703-527-3887

**Section 2. Hazard(s) identification**

This SDS is aligned with the Workplace Hazardous Materials Information System (WHMIS) and with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

**Classification of the substance or mixture**

The substance is not classified according to the WHMIS regulations.

**Label elements**



Safety Data Sheet  
Long Life Coupling Grease

SDS Revision Date: 05/02/2024

The substance is not classified according to the WHMIS regulations.

**[Prevention]:**

No GHS prevention statements

**[Response]:**

No GHS response statements

**[Storage]:**

No GHS storage statements

**[Disposal]:**

No GHS disposal statements

ATE ({Orallab}) {Oral-Range} mg/kg. {UNKToxOral} {unkstate}

ATE ({DermLab}) {Derm-Range} mg/kg. {UNKToxDerm} {unkstate}

ATE ({inhlab}) {inh-range} {noDPDCat}. {UNKToxInh} {unkstate}

**2.3. Other hazards**

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

**Section 3. Composition/information on ingredients**

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sulfonic acids, petroleum, calcium salts, over based CAS Number: 68783-96-0 Synonyms: Sulfonic acids, petroleum, calcium salts, and over base	30 - 60	Aquatic Chronic 4;H413	----
Distillates (petroleum), hydrotreated heavy naphthenic; Base oil-unspecified CAS Number: 64742-52-5 Synonyms: Distillate (petroleum) hydrotreated heavy naphthenic, Polymer Binders and Adhesive	30 - 60	Not Classified	----
Distillates (petroleum), hydrotreated light naphthenic CAS Number: 64742-53-6 Synonyms: Distillates (petroleum), hydrotreated light naphthenic; Base oil-unspecified	10 - 30	Not Classified	----

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.



The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

- General** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** DO NOT INDUCE VOMITING! If swallowed, vomiting may occur spontaneously. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Rinse mouth thoroughly. Get medical attention.

### Most important symptoms and effects, both acute and delayed

**Overview** If material enters lungs, signs and symptoms may include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. The onset of respiratory symptoms may be delayed for several hours after exposure. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhea. Treat symptomatically. See section 2 for further details.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.



### **Special hazards arising from the substance or mixture**

Hazardous decomposition: Hazardous combustion products may include A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

### **Advice for fire-fighters**

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

## **Section 6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### **Environmental precautions**

Do not allow spills to enter drains or waterways.

### **Methods and material for containment and cleaning up**

Slippery when spilled. Avoid accidents, clean up immediately. Prevent it from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

Local authorities should be advised if significant spillages cannot be contained.

## **Section 7. Handling and storage**

### **Precautions for safe handling**



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

Handle containers carefully to prevent damage and spillage.  
Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mist. When handling product in drums, safety footwear should be worn, and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials to prevent fires. Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closeable containers.

This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.

Use product with caution around heat, sparks, pilot lights, static electricity and open flame.

See section 2 for further details. - [Prevention]:

**Conditions for safe storage, including any incompatibilities**

Storage Temperature: -50 - 50C ( -58 - 122F)

For containers or container linings, use mild steel or high-density polyethylene.

Do not use PVC.

Incompatible materials: No available information

See section 2 for further details. - [Storage]:

**Specific end use(s)**

No available information

**Section 8. Exposure controls / personal protection**

**Control parameters**

**Exposure**

CAS No.	Ingredient	Source	Value
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; Base oil- unspecified	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

CAS No.	Ingredient	Source	Value
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
Yukon	No Established Limit		
68783-96-0	Sulfonic acids, petroleum, calcium salts, over based	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

CAS No.	Ingredient	Source	Value
			Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup>OSHA PEL and 5 mg/m<sup>3</sup>ACGIH.

**Exposure controls**

**Respiratory** If workers are exposed to concentrations above the exposure limit, they must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Skin protection is not required under normal conditions of use. Oil impervious gloves and oil impermeable apron recommended.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

**Section 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Physical State** Grease  
**Color** Blue



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

<b>Odour</b>	None
<b>Melting point / freezing point</b>	600°F
<b>Initial boiling point and boiling range</b>	No available information
<b>Flammability (solid, gas)</b>	No available information
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> No available information <b>Upper Explosive Limit:</b> No available information
<b>Flash Point</b>	360°C COC open Cup
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>pH</b>	Neutral
<b>Viscosity (cSt)</b>	No available information
<b>Solubility in Water</b>	Insoluble in water
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Vapour pressure (Pa)</b>	No available information
<b>Relative Density</b>	0.9
<b>Vapour Density</b>	No available information
<b>Evaporation rate (Ether = 1)</b>	Nil

**Other information**

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

**Section 10. Stability and reactivity**

**Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information

**Conditions to avoid**

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials**

No available information

**Hazardous decomposition products**





**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

**Section 11. Toxicological information**

**Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sulfonic acids, petroleum, calcium salts, over based - (68783-96-0)	No data available.	No data available.	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated heavy naphthenic; Base oil-unspecified - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	5.70, Rat - Category: NA	No data available.
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.

**Carcinogen Data**

CAS No.	Ingredient	Source	Value
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; Base oil-unspecified	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
68783-96-0	Sulfonic acids, petroleum, calcium salts, over based	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

**Symptoms and effects, both acute and delayed:**

If material enters lungs, signs and symptoms may include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. The onset of respiratory symptoms may be delayed for several hours after exposure. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhea. Treat symptomatically.

**Section 12. Ecological information**

**Toxicity**

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment but contains substance(s) dangerous for the environment. See section 3 for details

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sulfonic acids, petroleum, calcium salts, over based - (68783-96-0)	No data available.	No data available.	No data available.



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillates (petroleum), hydrotreated heavy naphthenic; Base oil-unspecified - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	No data available.	No data available.	No data available.

**Persistence and degradability**

Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.

**Bioaccumulative potential**

Contains components with the potential to bioaccumulate.

**Mobility in soil**

Liquid under most environmental conditions. If it enters soil, it will adsorb soil particles and will not be mobile. Floats on water.

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB chemicals.

**Other adverse effects**

No available information

**Section 13. Disposal considerations**

**Waste treatment methods**

Observe all federal, provincial, and local regulations when disposing of this substance.

**Section 14. Transport information.**

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

	<b>TDG (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>UN number</b>	Not Regulated	Not Regulated	Not Regulated
<b>UN proper</b>	Not Regulated	Not Regulated	Not Regulated



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

**shipping name**

<b>Transport hazard class(es)</b>	<b>TDG Hazard Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable
<b>Packing group</b>	Not Applicable	Not Applicable	Not Applicable

**Environmental hazards**

Marine Pollutant: No;

**Special precautions for user**

No available information

**Section 15. Regulatory information**

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

**Canadian Domestic Substance List (DSL):**

9,10-Anthracenedione, 1,4-diamino-, N,N'-mixed 2-ethylhexyl and Me and pentyl derivs.

Distillates (petroleum), hydrotreated heavy naphthenic; Base oil-unspecified

Distillates (petroleum), hydrotreated light naphthenic

Distillates Hydrotreated Heavy Paraffin

Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamo-dithioate oxo thioxo complexes

Naphtha (petroleum), heavy aromatic

Poly(oxy-1,2-ethanediyl), .alpha.-(1-oxo-9-octadecenyl)-.omega.-[(1-oxo-9-octadecenyl)oxy]-, (z,z)-



**Safety Data Sheet**  
**Long Life Coupling Grease**

**SDS Revision Date: 05/02/2024**

Sulfonic acids, petroleum, calcium salts, over based

**Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Section 16. Other information**

**SDS Revision Date**

05/02/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H413 May cause long lasting harmful effects to aquatic life.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

**End of Document**