

502 Premium Engine Oil Improver

## Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Identity	502 Premium Engine Oil Improver
Alternate Names	502 Premium Engine Oil Improver
Unique Formula Identifier	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against

See Technical Data Sheet.

#### **1.3. Details of the supplier of the safety data sheet**

Company Name	Southwestern Petroleum Lubricants LLC
	3401 Quorum Drive, Suite 360
	Fort Worth, Texas 76137
Customer Service:	1+734 930-0009

## **1.4. Emergency telephone number**

#### Emergency

#### 24 hour Emergency Telephone No.

Polluxstraat 11	Telefoon:	+31 (13) 785 49 40
5047 RA Tilburg	GSM:	+31 (6) 150 230 19
The Netherlands	E-mail:	<u>info@stratson.nl</u>
Homepage:	www.stratson.nl	
SWEPCO lubes:	www.swepcolube.com_	

## Section 2. Hazard identification of the product

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



## 2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

#### 2.3. Other hazards

This product contains no PBT/vPvB chemicals. This product contains no endocrine disrupting chemicals.

## Section 3. Composition/information on ingredients

#### 3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight	EC No. 1272/2008	Notes
	%	Classification	
Distillates Hydrotreated Heavy Paraffin	85 -100	Not Classified	
CAS Number: 64742-54-7			H; L <sup>^CLP</sup>
EC No. 265-157-1			⊓;∟ ° 3.1
Index No.: 0064742-54-7			
			_
Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamodithioate oxo thioxo complexes	1 - 4	Aquatic Chronic 4;H413	
CAS Number: 906665-74-5			
EC No. 842-517-1			

<sup>^CLP 31</sup>Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification,

classification and labelling of substances (Table 3.1).

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures



**502 Premium Engine Oil Improver** 

## 4.1. Description of first aid measures

- General In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

> Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

## 4.3. Indication of any immediate medical attention and special treatment needed

## Notes to physician

Treat symptomatically.

## Section 5. Fire-fighting measures

#### 5.1. Extinguishing media



Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

## 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

## Section 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

## 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## 6.4 Reference to other sections

See Section 1 for emergency contact information.



See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## Section 7. Handling and storage

## 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

## 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

## 7.3. Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

## 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
64742-54-7	istillates Hydrotreated Heavy Paraffin	ACGIH	No Established Limit
		DNEL Local Exposure	5.58 mg/m <sup>3</sup>
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established Limit
	Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamodithioate oxo thioxo complexes	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup>OSHA PEL and 5 mg/m<sup>3</sup>ACGIH.

#### 8.2. Exposure controls



Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact.
Engineering	Provide adequate ventilation. Where reasonably practicable this should be
Controls	achieved by the use of local exhaust ventilation and good general extraction.
	If these are not sufficient to maintain concentrations of particulates and any
	vapor below occupational exposure limits suitable respiratory protection
	must be worn.
Other Work	Use good personal hygiene practices. Wash hands before eating, drinking,
Practices	smoking or using toilet. Promptly remove soiled clothing and wash
	thoroughly before reuse.

See section 2 for further details.

## Section 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical State
Color
Odor
Melting point / freezing point
Initial boiling point and boiling range
Flammability (solid, gas)
Upper/lower flammability or explosive limits
Flash Point
Auto-ignition temperature
Decomposition temperature
рН
Viscosity (cSt)
Solubility in Water
Partition coefficient n-octanol/water (Log Kow)
Vapor pressure (Pa)
Relative Density
Vapor Density

Liquid Viscous Green None No available information 151 C No available information Lower Explosive Limit:0.8 Upper Explosive Limit: 7.0 °F °C, Test method: (Open cup) 356C No available information 7.8 59.3 cSt @ 40C Not miscible in water. No available information No available information 0.87 >5



Evaporation rate (Ether = 1)	
VOC Content	

## 9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

#### Section 10. Stability and reactivity

nil 0

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No available information

#### 10.4. Conditions to avoid

Excessive heat and open flame.

#### **10.5.** Incompatible materials

Strong oxidizing agents and acids.

#### **10.6.** Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

## Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from

the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamodithioate oxo thioxo complexes - (906665- 74-5)	No data available.	No data available.	No data available.	No data available.	No data available.

Classification	Category	Hazard Description
Acute toxicity (oral)		
Acute toxicity (dermal)		
Acute toxicity (inhalation)		
Skin corrosion/irritation		
Serious eye damage/irritation		
Respiratory sensitization		
Skin sensitization		
Germ cell mutagenicity		
Carcinogenicity		
Reproductive toxicity		
STOT-single exposure		
STOT-single exposure	502 (Unknown)	502 (Unknown)
STOT-repeated exposure	502 (Unknown)	502 (Unknown)
Aspiration hazard		

## **11.2 Information on other hazards**

## **11.2.1. Endocrine disrupting properties**

This product contains no endocrine disrupting chemicals.



## Section 12. Ecological information

## 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	>100.00, Pimephales promelas	>10,000.00, Daphnia magna	100.00, Pseudokirchneriella subcapitata		31.00
Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamodithioate oxo thioxo complexes - (906665-74-5)	No data available.	No data available.	No data available.		

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

No available information

#### 12.4. Mobility in soil

No available information

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### **12.6 Endocrine disrupting properties**

This product contains no endocrine disrupting chemicals.

#### 12.7. Other adverse effects

No available information

#### Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



oz Premium Engine On Improver

## Section 14. Transport information

	ADR/RID	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport	DOT Hazard	IMDG:Not Applicable	Air class:Not
hazard class(es)	Class:Not Applicable	Sub Class:Not Applicable	Applicable
	Sub Class:Not		Sub Class:Not
	Applicable		Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

#### 14.5. Environmental hazards

Marine Pollutant: No; 14.6. Special precautions for user

No available information

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

## Section 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

## National Legislation



None noted.

## SVHC Ingredient: 502 (Unknown)

## Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: 502 (Unknown)

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified (Use restricted. See item 28. (L))

Distillates Hydrotreated Heavy Paraffin (Use restricted. See item 28. (L))

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

## Section 16. Other information

## SDS Revision Date

22/7/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H413 May cause long lasting harmful effects to aquatic life.

ACGIH - American Conference of Governmental Industrial Hygienists

- ADR International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)
- CAS Chemical Abstract Service
- CLP Classification Labeling and Packaging
- DOT Department of Transportation



EC50 - European Commission EC50 - Half maximal effective concentration ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure. GHS - Globally Harmonized System IARC - International Agency for Research on Cancer IATA - International Civil Aviation Organization IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period. ICAO - International Civil Aviation Organization IMDG - International Maritime Dangerous Goods IMO - International Maritime Organization LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die. LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die. NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program **OSHA** - Occupational Safety and Health Administration PBT - Persistent, Bioaccumulative and Toxic Chemicals PEL - Permissible Exposure Limit REACH - Registration, Evaluation, Authorization and Restriction of Chemicals RID - Regulations concerning the international carriage of dangerous goods by rail) STEL - Short Term Exposure Limit TWA - Time Weighted Average vPvB - Very Persistent and very Bio-accumulative WGK - Water Hazard Class

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

No applicable GHS categories. Classification

Justification

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim



all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

## **End of Document**