



Swepco® is an affiliated brand of Lubrication Engineers, Inc.



Safety Data Sheet

SDS Revision Date: 27/1/2026

710 Maximum Performance Synthetic ATF

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity	710 Maximum Performance Synthetic ATF
Alternate Names	710
Unique Formula Identifier	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against	See Technical Data Sheet.
---	---------------------------

1.3. Details of the supplier of the safety data sheet

Company Name	Southwestern Petroleum Lubricants LLC 3401 Quorum Drive, Suite 360 Fort Worth, Texas 76137
Customer Service:	734 930-0009

1.4. Emergency telephone number

Emergency

24 hour Emergency Telephone No.

Polluxstraat 11	Telefoon:	+31 (13) 785 49 40
5047 RA Tilburg	GSM:	+31 (6) 150 230 19
The Netherlands	E-mail:	info@stratson.nl
Homepage:		www.stratson.nl
SWEPCO lubes:		www.swepcolube.com

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture

REGULATIONS (EU) 2024/2865 , (EU) 2023/707, (EU) 2020/878 amending Regulations EU



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand
of Lubrication Engineers, Inc.



**2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).**

No applicable CLP categories.

2.2. Label elements

No applicable CLP categories.

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

2.3. Other hazards

This product contains no PBT/vPvB/vPvM chemicals.
This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification	Notes
Distillates Hydrotreated Heavy Parrafin CAS Number: 64742-54-7 EC No. 265-157-1 Index No.: 0064742-54-7	65 - 85	Not Classified	L ⁺ CLP 3.1



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand of Lubrication Engineers, Inc.



Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification	Notes
1-Decene, homopolymer, hydrogenated CAS Number: 68037-01-4 EC No. 500-183-1 REACH #: 01-2119486452-34	10 - 20	Asp. Tox. 1;H304	

^{CLP 31}Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

- General** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eye** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview No chronic toxicity or long-term toxicity information available. Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents more than the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Sweepco® is an affiliated brand
of Lubrication Engineers, Inc.



Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Ingestion May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.



Swepeco® is an affiliated brand of Lubrication Engineers, Inc.



710 Maximum Performance Synthetic ATF

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

7.3. Specific end use(s)



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand of Lubrication Engineers, Inc.



No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
64742-54-7	Distillates Hydrotreated Heavy Parrafin	ACGIH	No Established Limit
		DNEL Local Exposure	5.58 mg/m ³
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
68037-01-4	1-Decene, homopolymer, hydrogenated	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

8.2. Exposure controls

- Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- Eyes** Protective safety glasses recommended
- Skin** Avoid skin contact. Protective gloves recommended.
- Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Section 9. Physical and chemical properties



Swepeco® is an affiliated brand of Lubrication Engineers, Inc.



Safety Data Sheet

SDS Revision Date: 27/1/2026

710 Maximum Performance Synthetic ATF

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Pale Amber
Odor	None
Odor threshold	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	ASTM D 2892
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 0.8 Upper Explosive Limit: 7.0
Flash Point	Open Cup
Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	7
Viscosity (cSt)	ASTM D445 at 40C
Solubility in Water	Non-Emulsifier
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapor pressure (Pa)	No available information
Relative Density	0.844
Vapor Density	>3
Evaporation rate (Ether = 1)	Nil
VOC Content	None

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepeco® is an affiliated brand of Lubrication Engineers, Inc.



No available information

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
1-Decene, homopolymer, hydrogenated - (68037-01-4)					



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand of Lubrication Engineers, Inc.



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
	> 5,000.00, Rat - Category: NA	3,000.00, Rabbit - Category: 5	No data available.	4,800.00, Rat - Category: NA	No data available.

Classification	Category	Hazard Description
Acute toxicity (oral)	---	---
Acute toxicity (dermal)	---	---
Acute toxicity (inhalation)	---	---
Skin corrosion/irritation	---	---
Serious eye damage/irritation	---	---
Respiratory sensitization	---	---
Skin sensitization	---	---
Germ cell mutagenicity	---	---
Carcinogenicity	---	---
Reproductive toxicity	---	---
STOT-single exposure	---	---
STOT-repeated exposure	---	---
Aspiration hazard	---	---

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

Section 12. Ecological information

12.1. Toxicity

No additional information is provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Distillates Hydrotreated Heavy Paraffin - (64742-54-7)	>100.00, Pimephales	>10,000.00, Daphnia magna	100.00, Pseudokirchneriella subcapitata	---	31.00



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand of Lubrication Engineers, Inc.



Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
	promelas				
1-Decene, homopolymer, hydrogenated - (68037-01-4)	No data available.	No data available.	No data available.	---	15.00

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Swepco® is an affiliated brand of Lubrication Engineers, Inc.



14.3. Transport hazard class(es)	Class: Not Applicable Sub Class: Not Applicable	Class: Not Applicable Sub Class: Not Applicable	Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATIONS (EU) 2024/2865 , (EU) 2023/707, (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

Candidate List of SVHC for Authorisation: Not Applicable

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

1-Decene, homopolymer, hydrogenated (See item 3. (liquid))

Distillates Hydrotreated Heavy Parrafin (Use restricted. See item 28. (L))



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Sweepco® is an affiliated brand
of Lubrication Engineers, Inc.



PHOSPHORODITHIOIC ACID, O,O-DI-C1-14-ALKYL ESTERS, (Use restricted. See item 3.
(liquid))

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

SDS Revision Date

27/1/2026

MSDS Revision Number

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

ACGIH - American Conference of Governmental Industrial Hygienists
ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)
CAS - Chemical Abstracts Service
CLP - Classification Labeling and Packaging
DOT - Department of Transportation
EC - European Commission
EC50 - Half maximal effective concentration
ErC50 - EC50 in terms of reduction of growth rate
GHS - Globally Harmonized System
IARC - International Agency for Research on Cancer
IATA - International Air Transport Association



Safety Data Sheet
710 Maximum Performance Synthetic ATF

SDS Revision Date: 27/1/2026

Sweepco® is an affiliated brand
of Lubrication Engineers, Inc.



IC50 - Half Maximal Inhibitory Concentration
ICAO - International Civil Aviation Organization
IMDG - International Maritime Dangerous Goods Code
IMO - International Maritime Organization
LC50 - Lethal Concentration of a substance at which 50% of test animals die
LD50 - Lethal Dose at which 50% of the animals will be expected to die
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration
PBT - Persistent, Bioaccumulative and Toxic Chemicals
PEL - Permissible Exposure Limit
REACH - Registration, Evaluation, Authorization and Restriction of Chemicals
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL - Short Term Exposure Limit
TWA - Time Weighted Average
vPvB - Very Persistent and very Bio-accumulative
WGK - Water Hazard Class

**Procedure used to derive the classification according to Regulation (EC) No.
1272/2008 [CLP/GHS]**

No applicable GHS categories. Classification Justification

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

End of Document