



Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity	103 Moly Hi Plus Grease
Alternate Names	Not Applicable
Unique Formula Identifier	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against	Lubricant
---	-----------

1.3. Details of the supplier of the safety data sheet

Company Name	Southwestern Petroleum Lubricants LLC 3401 Quorum Drive, Suite 360 Fort Worth, Texas 76137
Customer Service:	1+734 930-0009

1.4. Emergency telephone number

Emergency

24 hour Emergency Telephone No.

Polluxstraat 11	Telefoon:	+31 (13) 785 49 40
5047 RA Tilburg	GSM:	+31 (6) 150 230 19
The Netherlands	E-mail:	info@stratson.nl
Homepage:		www.stratson.nl
SWEPCO lubes:		www.swepcolube.com

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

No applicable CLP categories.

2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

No applicable CLP categories.

EUH208: Contains 1,3,4-thiadiazole, 2,5-bis(octyldithio)-. May produce an allergic reaction.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification	Notes
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified CAS Number: 64742-52-5 EC No. 265-155-0 Index No.: 649-465-00-7 REACH #: 01-2119467170-45	25 - 45	Not Classified	L [^] CLP 3.1
Distillates (petroleum), hydrotreated light naphthenic CAS Number: 64742-53-6 EC No. 265-156-6 Index No.: 649-466-00-2 REACH #: 01-2119480375-34	25 - 45	Not Classified	L [^] CLP 3.1
Barium, acetate tallow fatty acids complexes CAS Number: 68201-19-4	25 - 45		



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification	Notes
Molybdenum (iv) sulfide CAS Number: 1317-33-5 EC No. 215-263-9	1 - 4	Not Classified	
Graphite CAS Number: 7782-42-5 EC No. 231-955-3	1 - 4	Not Classified	
Carbamodithioic acid, dibutyl-, methylene ester CAS Number: 10254-57-6 EC No. 233-593-1	1 - 4	Not Classified	

^{^CLP 31} Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion DO NOT INDUCE VOMITING! If swallowed, vomiting may occur spontaneously. If vomiting occurs, keep your head below hips to prevent aspiration into lungs. Rinse mouth thoroughly. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview If material enters lungs, signs and symptoms may include coughing, choking,



wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. The onset of respiratory symptoms may be delayed for several hours after exposure. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhea. Treat symptomatically. See section 2 for further details.

Skin May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or a rash occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave the area. Wear SCBA during clean-up immediately after fire. No smoking.



Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).
Avoid breathing dust, fumes, gas, mist, vapors, spray. Contaminated work clothing should not be allowed out of the workplace.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
Dispose of contents or container in accordance with local and national regulations.

6.3. Methods and material for containment and cleaning up

Slippery when spilled. Avoid accidents, clean up immediately. Prevent it from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
Local authorities should be advised if significant spillages cannot be contained.

6.4 Reference to other sections

See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.
Avoid prolonged or repeated contact with skin. Avoid inhaling vapor and/or mist. When handling product in drums, safety footwear should be worn, and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning



**Safety Data Sheet
103 Moly Hi Plus Grease**

SDS Revision Date: 9/10/2024

materials to prevent fires. Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closeable containers.

This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.

Use product with caution around heat, sparks, pilot lights, static electricity and open flame.

Wear protective gloves, eye protection, and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Temperature: -50 - 50C (-58 - 122F)

For containers or container linings, use mild steel or high-density polyethylene.

Do not use PVC.

Incompatible materials: No available information

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
1317-33-5	Molybdenum (iv) sulfide	ACGIH	TWA 2.5 mg/m ³ (as F)
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
7782-42-5	Graphite	ACGIH	2 mg/m ³ (R) Respirable fraction
		DNEL Local Exposure	1.2 mg/m ³
		DNEL Systematic Exposure	1.2 mg/m ³
		National	No Established Limit
10254-57-6	Carbamodithioic acid, dibutyl-, methylene ester	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified	ACGIH	No Established Limit
		DNEL Local Exposure	5.58 mg/m ³
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

CAS No.	Ingredient	Source	Value
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	ACGIH	No Established Limit
		DNEL Local Exposure	5.58 mg/m ³
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit
68201-19-4	Barium, acetate tallow fatty acids complexes	ACGIH	No Established Limit
		DNEL Local Exposure	No Established Limit
		DNEL Systematic Exposure	No Established Limit
		National	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Skin protection is not required under normal conditions of use. Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms. Recommended: Viton or Nitrile gloves. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and considers the conditions of use, as included in the user's risk assessment. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also consider all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/ specifications provided by the glove supplier. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection



must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Gel
Color	Brown, Amber
Odor	None
Melting point / freezing point	325F
Initial boiling point and boiling range	No available information
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive limits	Lower Explosive Limit:10 Upper Explosive Limit:5
Flash Point	250 C base oils Open cup
Auto-ignition temperature	320C
Decomposition temperature	No available information
pH	Neutral
Viscosity (cSt)	No available information
Solubility in Water	Insoluble in water
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapor pressure (Pa)	No available information
Relative Density	0.9
Vapor Density	No available information
Evaporation rate (Ether = 1)	Nil
VOC Content	None

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity



10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials

No available information

10.6. Hazardous decomposition products

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Molybdenum (iv) sulfide - (1317-33-5)	No data available.	No data available.	No data available.	2.82, Rat - Category: 4	No data available.
Graphite - (7782-42-5)	> 2,000.00, Rat - Category: 4	No data available.	No data available.	> 2,000.00, Rat - Category: NA	No data available.
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.	No data available.	No data available.



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	5.70, Rat - Category: NA	No data available.
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Barium, acetate tallow fatty acids complexes - (68201-19-4)	No data available.	No data available.	No data available.	No data available.	No data available.

Classification	Category	Hazard Description
Acute toxicity (oral)	---	---
Acute toxicity (dermal)	---	---
Acute toxicity (inhalation)	---	---
Skin corrosion/irritation	---	---
Serious eye damage/irritation	---	---
Respiratory sensitization	---	---
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	---
Carcinogenicity	---	---
Reproductive toxicity	---	---
STOT-single exposure	---	---
STOT-repeated exposure	---	---
Aspiration hazard	---	---

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

Section 12. Ecological information

12.1. Toxicity

Poorly soluble mixture. May cause physical fouling of aquatic organisms. Expected to be



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

harmful: LL/EL/IL50 10-100 mg/l (to aquatic organisms) LL/EL50 expressed as the nominal amount of product required to prepare aqueous test extract.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Molybdenum (iv) sulfide - (1317-33-5)	No data available.	No data available.	No data available.	---	---
Graphite - (7782-42-5)	100.00, Danio rerio	> 100.00, Daphnia magna	> 100.00, Pseudokirchnerella subcapitata	> 1,012.50	---
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.	---	---
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus	---	---
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	No data available.	No data available.	No data available.	---	---
Barium, acetate tallow fatty acids complexes - (68201-19-4)	No data available.	No data available.	No data available.	---	---

12.2. Persistence and degradability

Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.

12.3. Bioaccumulative potential

Contains components with the potential to bioaccumulate.

12.4. Mobility in soil

Liquid under most environmental conditions. If it enters soil, it will absorb soil particles and will not be mobile. Floats on water.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Endocrine disrupting properties



This product contains no endocrine disrupting chemicals.

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

National Legislation

WGK Class: 1

SVHC Ingredient: Not Applicable

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified (Use restricted. See item 28. (L))

Distillates (petroleum), hydrotreated light naphthenic (Use restricted. See item 28. (L))

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

SDS Revision Date	9/10/2024
MSDS Revision Number	1

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws,



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

ACGIH - American Conference of Governmental Industrial Hygienists
ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)
CAS - Chemical Abstract Service
CLP - Classification Labeling and Packaging
DOT - Department of Transportation
EC50 - European Commission
EC50 - Half maximal effective concentration
ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure.
GHS - Globally Harmonized System
IARC - International Agency for Research on Cancer
IATA - International Civil Aviation Organization
IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period.
ICAO - International Civil Aviation Organization
IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organization
LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die.
LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die.
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration
PBT - Persistent, Bioaccumulative and Toxic Chemicals
PEL - Permissible Exposure Limit
REACH - Registration, Evaluation, Authorization and Restriction of Chemicals
RID - Regulations concerning the international carriage of dangerous goods by rail)
STEL - Short Term Exposure Limit
TWA - Time Weighted Average
vPvB - Very Persistent and very Bio-accumulative
WGK - Water Hazard Class



Safety Data Sheet
103 Moly Hi Plus Grease

SDS Revision Date: 9/10/2024

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
EUH208: Contains 1,3,4-thiadiazole, 2,5-bis(octyldithio)-. May produce an allergic reaction.	Calculation method

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

End of Document