

SDS Revision Date: 3/10/2024

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity 801 Clear Penetrating Lubricant

Alternate Names 801

Unique Formula Identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Southwestern Petroleum Lubricants LLC

3401 Quorum Drive, Suite 360

Fort Worth, Texas 76137

Customer Service: 1+734 930-0009

1.4. Emergency telephone number

Emergency

24 hour Emergency Telephone No.

 Polluxstraat 11
 Telefoon:
 +31 (13) 785 49 40

 5047 RA Tilburg
 GSM:
 +31 (6) 150 230 19

 The Netherlands
 E-mail:
 info@stratson.nl

Homepage: <u>www.stratson.nl</u>

SWEPCO lubes: <u>www.swepcolube.com</u>_

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



SDS Revision Date: 3/10/2024

Flam. Aerosol 1;H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

Flam. Liq. 3;H226 Flammable liquid and vapor.

Aquatic Acute 3;H402 Harmful to aquatic life.

Aquatic Chronic 3;H412 Harmful to aquatic life with long lasting effects.

801 (Unknown)

2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006



H222 Extremely flammable aerosol.

H226 Flammable liquid and vapor.

H229 Pressurized container: May burst if heated.



SDS Revision Date: 3/10/2024

H412 Harmful to aquatic life with long lasting effects.

EUH208: Contains 1,3,4-thiadiazole, 2,5-bis(octyldithio)-. May produce an allergic reaction.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification	Notes
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified	45 - 65	Not Classified	
CAS Number: 64742-52-5			^CLP 3.1
EC No. 265-155-0			
Index No.: 649-465-00-7			
REACH #: 01-2119467170-45			
Distillates (petroleum), hydrotreated light	25 - 45	Asp. Tox. 1;H304	
CAS Number: 64742-47-8			H ^CLP 3.1
EC No. 265-149-8			H
Index No.: 649-422-00-2			
REACH #: 01-2119456620-43-x			
Pentyl acetate	10 - 15	Flam. Liq. 3;H226	
CAS Number: 628-63-7			C^CLP 3.1
EC No. 211-047-3			•
Index No.: 607-130-00-2			
Carbamodithioic acid, dibutyl-, methylene ester	1 - 4	Not Classified	
CAS Number: 10254-57-6			
EC No. 233-593-1			

^{^CLP 31}Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

^{*}PBT/vPvB - PBT-substance or vPvB-substance.



SDS Revision Date: 3/10/2024

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents more than the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Skin May cause an allergic skin reaction.



SDS Revision Date: 3/10/2024

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower. If skin irritation or a rash occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Section 6. Accidental release measures



SDS Revision Date: 3/10/2024

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Avoid breathing dust, fume, gas, mist, vapors, spray. Contaminated work clothing should not be allowed out of the workplace.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. Avoid release to the environment. Dispose of contents or container in accordance with local and national regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Wear protective gloves, eye protection, and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Store in a well-ventilated place. Keep cool. Protect from sunlight. Store in a well-ventilated place.



SDS Revision Date: 3/10/2024

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
628-63-7	Pentyl acetate	ACGIH	50 ppm 100 ppm
		DNEL Local Exposure	No Established
			Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit
10254-57-	Carbamodithioic acid, dibutyl-, methylene ester	ACGIH	No Established
6			Limit
		DNEL Local Exposure	No Established
			Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit
64742-47-	Distillates (petroleum), hydrotreated light	ACGIH	No Established
8			Limit
		DNEL Local Exposure	No Established
			Limit
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit
64742-52-	Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-	ACGIH	No Established
5 (unspecified		Limit
		DNEL Local Exposure	5.58 mg/m ³
		DNEL Systematic	No Established
		Exposure	Limit
		National	No Established
			Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m 3 OSHA PEL and 5 mg/m 3 ACGIH.

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they



Controls

Safety Data Sheet 801 Clear Penetrating Lubricant

SDS Revision Date: 3/10/2024

must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact.

Engineering Provide adequate ventilation. Where reasonably practicable this should be

achieved using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection

must be worn.

Other Work Use good personal hygiene practices. Wash hands before eating, drinking,

Practices smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Pressurized aerosol dispensed as a mist.

Color Oily, Clear to yellow

Odor Pleasant

Melting point / freezing point No available information

Initial boiling point and boiling range ASTM D 2882

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Lower Explosive Limit: 7.5

Upper Explosive Limit: 7.5 °F °C, Test method: (Close cup)

Auto-ignition temperature 240C

Decomposition temperatureNo available informationpHNo available informationViscosity (cSt)No available information

Solubility in Water Non-Emulsifier

Partition coefficient n-octanol/water (Log Kow) No available information

Vapor pressure (Pa)4Relative Density0.9Vapor Density4.5

Evaporation rate (Ether = 1) 0.5

9.2. Other information

Flash Point



SDS Revision Date: 3/10/2024

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute



SDS Revision Date: 3/10/2024

toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Pentyl acetate - (628-63-7)	7,400.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated light - (64742- 47-8)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	5.70, Rat - Category: NA	No data available.

Classification	Category	Hazard Description
Acute toxicity (oral)		
Acute toxicity (dermal)		
Acute toxicity (inhalation)		
Skin corrosion/irritation		
Serious eye damage/irritation		
Respiratory sensitization		
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		
Carcinogenicity		
Reproductive toxicity		
STOT-single exposure		
STOT-single exposure		
STOT-repeated exposure		
Aspiration hazard		

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.



SDS Revision Date: 3/10/2024

Section 12. Ecological information

12.1. Toxicity

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Pentyl acetate - (628-63-7)	65.00, Gambusia affinis	No data available.	No data available.		
Carbamodithioic acid, dibutyl-, methylene ester - (10254-57-6)	No data available.	No data available.	No data available.		
Distillates (petroleum), hydrotreated light - (64742-47-8)	20.00, Oncorhynchus mykiss	1.40, Daphnia magna	8.30, Pseudokirchneriella subcapitata		58.60
Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus		

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.



SDS Revision Date: 3/10/2024

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1950	UN1950	UN1950
14.2. UN proper	Aerosols, Limited	Aerosols, Limited Quantity	Aerosols, Limited
shipping name	Quantity		Quantity
14.3. Transport	DOT Hazard	IMDG:2.1	Air class:2.1
hazard class(es)	Class:2.1	Sub Class:Not Applicable	Sub Class: Not
	Sub Class: Not Applicable		Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information



SDS Revision Date: 3/10/2024

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

National Legislation

WGK Class:

SVHC Ingredient:

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

Distillates (petroleum), hydrotreated heavy naphthenic; Base Oil-unspecified (Use restricted. See item 28. (L))

Distillates (petroleum), hydrotreated light (Use restricted. See item 3. (liquid))

Pentyl acetate (Use restricted. See item 40.)

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

SDS Revision Date
MSDS Revision Number

3/10/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.



SDS Revision Date: 3/10/2024

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

ACGIH - American Conference of Governmental Industrial Hygienists

ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)

CAS - Chemical Abstract Service

CLP - Classification Labeling and Packaging

DOT - Department of Transportation

EC50 - European Commission

EC50 - Half maximal effective concentration

ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure.

GHS - Globally Harmonized System

IARC - International Agency for Research on Cancer

IATA - International Civil Aviation Organization

IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period.

ICAO - International Civil Aviation Organization

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die.

LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die.

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PBT - Persistent, Bioaccumulative and Toxic Chemicals

PEL - Permissible Exposure Limit

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

RID - Regulations concerning the international carriage of dangerous goods by rail)

STEL - Short Term Exposure Limit

TWA - Time Weighted Average

vPvB - Very Persistent and very Bio-accumulative



SDS Revision Date: 3/10/2024

WGK - Water Hazard Class

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Justification

On basis of test

data

Flam. Aerosol 1;H222 On basis of test

data

H229 On basis of test

data

Flam. Liq. 3;H226 On basis of test

data

Aquatic Acute 3;H402 Calculation

method

Aquatic Chronic 3;H412 Calculation

method

EUH208: Contains 1,3,4-thiadiazole, 2,5-bis(octyldithio)-. May produce Calculation

an allergic reaction. method

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

End of Document