

SDS Revision Date: 3/07/2024

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity 202 MolyXP 75W90 Synthetic Gear Lube

Alternate Names 202

Unique Formula Identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Uses and Uses Advised Against See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Southwestern Petroleum Lubricants LLC

3401 Quorum Drive, Suite 360

Fort Worth, Texas 76137

Customer Service: 1-800-433-5735

1.4. Emergency telephone number

Emergency

24 hour Emergency Telephone No.

 Polluxstraat 11
 Telefoon:
 +31 (13) 785 49 40

 5047 RA Tilburg
 GSM:
 +31 (6) 150 230 19

 The Netherlands
 E-mail:
 info@stratson.nl

Homepage: <u>www.stratson.nl</u>

SWEPCO lubes: <u>www.swepcolube.com</u>_

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



SDS Revision Date: 3/07/2024

Asp. Tox. 1;H304 May be fatal if swallowed and enters airways.

202 (Unknown)

2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

H304 May be fatal if swallowed and enters airways.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS], they are listed below.

| Ingredient/Chemical Designations | Weight | EC No. 1272/2008 | Notes |
|---|---------|------------------|-----------|
| | % | Classification | |
| Distillates Hydrotreated Heavy Paraffin | 45 - 65 | Not Classified | |
| CAS Number: 64742-54-7 | | | ∐• I ^CLP |
| EC No. 265-157-1 | | | H; L CLP |



| Ingredient/Chemical Designations | Weight % | EC No. 1272/2008 Classification | Notes |
|---|-------------|------------------------------------|----------------------|
| Index No.: 0064742-54-7 | 70 | Otassincation | 3.1 |
| 1-Decene, homopolymer, hydrogenated CAS Number: 68037-01-4 EC No. 500-183-1 | 25 - 45 | Asp. Tox. 1;H304 | |
| REACH #: 01-2119486452-34 | | | |
| Methyl methacrylate polymer CAS Number: 9011-14-7 EC No. 618-466-4 | 10 - 15 | Not Classified | |
| Lubricating oils (petroleum), c15-30, hydrotreated neutral oil-based; Base Oil- unspecified CAS Number: 72623-86-0 EC No. 276-737-9 Index No.: 649-482-00-X | 4 - 7 | Not Classified | H; L ^{^CLP} |

SDS Revision Date: 3/07/2024

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If accidentally swallowed obtain immediate medical attention. Keep at rest. Do

NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

[^]CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

^{*}PBT/vPvB - PBT-substance or vPvB-substance.



SDS Revision Date: 3/07/2024

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents more than the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

> Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Inhalation May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. IF SWALLOWED: Do NOT induce vomiting.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Section 6. Accidental release measures



SDS Revision Date: 3/07/2024

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. Dispose of contents or container in accordance with local and national regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids. Store locked up.

7.3. Specific end use(s)

No available information



SDS Revision Date: 3/07/2024

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|-----------|--|-----------------------------|-------------------------|
| 9011-14-7 | Methyl methacrylate polymer | ACGIH | No Established Limit |
| | | DNEL Local Exposure | No Established Limit |
| | | DNEL Systematic | No Established |
| | | Exposure | Limit |
| | | National | No Established Limit |
| 4742-54- | Distillates Hydrotreated Heavy Paraffin | ACGIH | No Established Limit |
| | | DNEL Local Exposure | 5.58 mg/m ³ |
| | | DNEL Systematic | No Established |
| | | Exposure | Limit |
| | | National | No Established Limit |
| 8037-01- | 1-Decene, homopolymer, hydrogenated | ACGIH | No Established Limit |
| | | DNEL Local Exposure | No Established Limit |
| | | DNEL Systematic Exposure | No Established Limit |
| | | National | No Established Limit |
| | Lubricating oils (petroleum), c15-30, hydrotreated neutral oil-based; Base Oil- unspecified | ACGIH | No Established Limit |
| | | DNEL Local Exposure | 5.58 mg/m ³ |
| | | DNEL Systematic | No Established |
| | | Exposure | Limit |
| | | National | No Established |
| | | | Limit |

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they

must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact.



Controls

Safety Data Sheet 202 MolyXP 75W90 Synthetic Gear Lube

Engineering Provide adequate ventilation. Where reasonably practicable this should be

achieved using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection

SDS Revision Date: 3/07/2024

must be worn.

Other Work Use good personal hygiene practices. Wash hands before eating, drinking,

Practices smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Color Black Viscous

Odor None

Melting point / freezing point No available information

Initial boiling point and boiling range 293 C

Flammability (solid, gas) No available information

Upper/lower flammability or explosive Lower Explosive Limit: No available

limits information

Upper Explosive Limit: No available

information

Flash Point °F °C, Test method: (Open cup)

Auto-ignition temperature 260C

Decomposition temperatureNo available information

pH 7.0

Viscosity (cSt) 15 cst @100C Solubility in Water Non-Emulsifier

Partition coefficient n-octanol/water (Log No available information

Kow)

Vapor pressure (Pa) No available information

Relative Density 0.89
Vapor Density >5

Evaporation rate (Ether = 1) 0



SDS Revision Date: 3/07/2024

VOC Content None

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents more than the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause



irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

SDS Revision Date: 3/07/2024

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapour LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|-----------------------------------|--------------------------------------|---|---|--------------------------------|
| Methyl methacrylate polymer - (9011-14-7) | No data available. | No data available. | No data available. | No data available. | No data available. |
| Distillates Hydrotreated Heavy Paraffin - (64742-54-7) | > 5,000.00, Rat - Category: NA | > 5,000.00, Rabbit - Category: NA | No data available. | No data available. | No data available. |
| 1-Decene, homopolymer, hydrogenated - (68037- 01-4) | > 5,000.00, Rat - Category: NA | 3,000.00, Rabbit - Category: 5 | No data available. | 4,800.00, Rat - Category: NA | No data available. |
| Lubricating oils (petroleum), c15-30, hydrotreated neutral oil-based; Base Oil-unspecified - (72623- 86-0) | No data available. | No data available. | No data available. | No data available. | No data available. |

| Classification | Category | Hazard Description |
|-------------------------------|---------------|---|
| Acute toxicity (oral) | | |
| Acute toxicity (dermal) | | |
| Acute toxicity (inhalation) | | |
| Skin corrosion/irritation | | |
| Serious eye damage/irritation | | |
| Respiratory sensitization | | |
| Skin sensitization | | |
| Germ cell mutagenicity | | |
| Carcinogenicity | | |
| Reproductive toxicity | | |
| STOT-single exposure | | |
| STOT-single exposure | 202 (Unknown) | 202 (Unknown) |
| STOT-repeated exposure | 202 (Unknown) | 202 (Unknown) |
| Aspiration hazard | 1 | May be fatal if swallowed and enters airways. |



SDS Revision Date: 3/07/2024

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l | 3hr IC50 Bacteria mg/l | Biodegradability % |
|--|------------------------------------|----------------------------------|---|------------------------------|-----------------------|
| Methyl methacrylate polymer - (9011-14-7) | No data available. | No data available. | No data available. | | |
| Distillates Hydrotreated Heavy Paraffin - (64742-54-7) | >100.00, Pimephales promelas | >10,000.00, Daphnia magna | 100.00, Pseudokirchneriella subcapitata | | 31.00 |
| 1-Decene, homopolymer, hydrogenated - (68037-01-4) | No data available. | No data available. | No data available. | | 15.00 |
| Lubricating oils (petroleum), c15-30, hydrotreated neutral oil-based; Base Oil- unspecified - (72623-86-0) | No data available. | No data available. | No data available. | | |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.



SDS Revision Date: 3/07/2024

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

| | ADR/RID | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-------------------------------|-----------------------|--------------------------------------|----------------|
| 14.1. UN number | Not Regulated | Not Regulated | Not Regulated |
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| 14.3. Transport | DOT Hazard | IMDG: Not Applicable | Air class: Not |
| hazard class(es) | Class: Not Applicable | Sub Class: Not | Applicable |
| | Sub Class: Not | Applicable | Sub Class: Not |
| | Applicable | | Applicable |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable |

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information



SDS Revision Date: 3/07/2024

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). REGULATION (EC) 1272/2008 on the classification, labeling and packaging of substances and mixtures (CLP).

National Legislation

None noted.

SVHC Ingredient: 202 (Unknown)

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: 202 (Unknown)

Distillates Hydrotreated Heavy Paraffin (Use restricted. See item 28. (L))

Lubricating oils (petroleum), c15-30, hydrotreated neutral oil-based; Base Oil-unspecified (Use restricted. See item 28. (L))

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

SDS Revision Date

3/07/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

swepco

Safety Data Sheet SI 202 MolyXP 75W90 Synthetic Gear Lube

SDS Revision Date: 3/07/2024

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

ACGIH - American Conference of Governmental Industrial Hygienists

ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)

CAS - Chemical Abstract Service

CLP - Classification Labeling and Packaging

DOT - Department of Transportation

EC50 - European Commission

EC50 - Half maximal effective concentration

ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure.

GHS - Globally Harmonized System

IARC - International Agency for Research on Cancer

IATA - International Civil Aviation Organization

IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period.

ICAO - International Civil Aviation Organization

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die.

LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die.

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PBT - Persistent, Bioaccumulative and Toxic Chemicals

PEL - Permissible Exposure Limit

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

RID - Regulations concerning the international carriage of dangerous goods by rail)

STEL - Short Term Exposure Limit

TWA - Time Weighted Average

vPvB - Very Persistent and very Bio-accumulative

WGK - Water Hazard Class

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



Classification Justification

Asp. Tox. 1;H304

Calculation method

SDS Revision Date: 3/07/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

End of Document